



WRAPTECH

- Engineered To Excellence -

**PACKAGING
SOLUTIONS**

AN ISO 9001:2015 COMPANY

VISION

Our vision, is to become the preferred machine solution provider to our valued customers, who share the same passion for perfection and excellence as we do.

MISSION

Continuously endeavour to offer total packaging solutions & update our cutting edge technology, backed by an efficient customer service.

LETTER FROM THE M.D.

'Package is the Product', this has never been more true than today. With packaged products vying for customer attention from the crowded shelves at various points of purchase, both, online & offline, it is the Packaging that differentiates the product & builds the brand.

Packaging has always been fascinating to us & making innovative Packaging Machines - an enduring passion. With machines manufactured in a high technology environment at our plant based in Mumbai, India, our technical team is very versatile and delivers tailormade packaging solutions to meet & exceed expectations of our esteemed customers.

Each Wraptech Machine is "Engineered to Excellence" & this dedication has earned us the trust and confidence of a growing number of discerning clients. With our proven technology & experience, we are committed to work as partners with our customers.



ASHISH B. MEGHANI
Managing Director

ABOUT THE COMPANY

Located in the industrial hub of Navi Mumbai, our state of the art 20,000 sq. ft factory boasts facilities & equipment where we pay minute attention to every detail at every department, be it Engineering, R&D, Workshop area, Assembly Area and the FAT room.

Wraptech has **over 30 years'** experience in packaging machine manufacturing & is known for quality, dependability and reliability across the industry, while meeting International standards. With over **4500 installations across 30 countries & spanning 6 continents**, Wraptech is on the fast-track to becoming one of Asia's leading packaging machine manufactures and end to end turnkey solution providers.



THE WRAPTECH ADVANTAGE

With a truly global agent network, we offer full service back up with the shortest lead time through our team of well-trained engineers & aptly stocked spares. Advanced software enhances the competence of our designers to translate ideas into innovations.

Over the years our machines have won prestigious awards from reputed organisations, proving to be a testimony to the **Engineering Excellence** of Wraptech Machines.



A GLIMPSE AT OUR CLIENTS



The above logos are property of the brand owner.

CONTENTS

VERTICAL MACHINES

INTERMITTENT BAGGER

- i) MB 25 01-02
- ii) MB 25 DH 03-04
- iii) MB 250 05-06
- iv) MB 250 EV 07-08
- v) MB 250 EV DOY 09-10

CONTINUOUS BAGGER

- i) Thunder 11-12

VERTICAL MULTI LANE MACHINES

SACHET MACHINE

- i) MB 150 13-14

STICK PACK MACHINE

- i) MB 160 15-16

HORIZONTAL MACHINES

HORIZONTAL FORM, FILL & SEAL

- i) MH 110 17-18
- ii) MH 140 19-20

PICK FILL SEAL

- i) WMPFS 60 21-22

FLOW WRAPPER

- i) WMFTL 160 23
- ii) WMFBL 120 24

CARTONING MACHINES

CONTINUOUS MOTION

- i) WMC 200 25-26

FILLING SYSTEMS

BOTTLE AND JAR FILLING

- i) MB 50 DUPLEX 27-28

WRAPTECH PROJECTS

29-30

MB 25



FILLER RANGE

25 GM - 750 GM



MAX SPEED

UPTO
100 PPM



BAG SIZE

W: 40 - 175 MM
L: 70 - 250 MM



MACHINE SIZE

W: 1500 MM
L: 1000 MM
H: 1300 MM



3 SIDE SEAL
SACHET



PILLOW POUCH



QUAD GUSSET POUCH



BLOCK BOTTOM
GUSSET POUCH

ABOUT MB 25

A full feature machine ideal for high output and reliable performance which will be your long-term partner. You will be able to quickly respond to the changing demands and challenges of the market thanks to its versatility, high speed and ability to create a wide range of bag types.

FEATURES



- PLC based control system.
- 7" Touch HMI.
- Powered film unwind.
- Film tension control.
- Photo eye for film length control.
- Auto web alignment.

OPTIONS



- Hot Roll/Thermal Transfer (TTO) printer integration.
- GMP version.
- CE & UL certification available.
- Splicing table for easy film change-over.
- Gusset station.
- Static eliminator.
- UV film sterilization.
- Batch cutting.
- Nitrogen flushing.
- In-feed system.
- Out-feed system.
- Metal detection.
- Check weigher.

UTILITY



- Compressed Air : 250 lpm at 6.0 Kg/sq.cm.
- Power : 6 KW

DOSING OPTIONS

CUP FILLER



Powders (free flowing), Granules, Pulses, Beans, Detergents, Tea, Coffee, Seeds, Sugar, Rice, etc.

AUGER FILLER



Non-free flowing sticky powders like Milk, Turmeric, Pharma Powders, etc.

MULTIHEAD WEIGHER



Rice, Pulses, Tea, Coffee Beans, Candies/Toffees, Tablets, Cashew, Potato/Banana Wafers, Snack Foods, Fresh & Frozen Foods, Dried Fruits, Pasta Pieces, Detergents, Hardware Items, Spices, Soup Mixes, Sugar, etc.

MB 25 DH

AUGER FILLER



FILLER RANGE

25 GM - 750 GM



MAX SPEED

UPTO
200 PPM



BAG SIZE

W: 40 - 175 MM
L: 70 - 250 MM



MACHINE SIZE

W: 3000 MM
L: 1000 MM
H: 1300 MM



3 SIDE SEAL
SACHET



PILLOW POUCH



QUAD GUSSET POUCH



BLOCK BOTTOM
GUSSET POUCH

ABOUT MB 25 DH

A full feature dual head machine ideal for high output, versatile and reliable performance which will be your long-term partner. You'll be able to quickly respond to the changing demands and challenges of the market due to its high speed and ability to create a wide range of bag types.

FEATURES



- PLC based control system.
- 7" Touch HMI.
- Powered film unwind.
- Film tension control.
- Photo eye for film length control.
- Auto web alignment.

OPTIONS



- Hot Roll/Thermal Transfer (TTO) printer integration.
- GMP version.
- CE & UL certification available.
- Splicing table for easy film change-over.
- Gusset station.
- Static eliminator.
- UV film sterilization.
- Batch cutting.
- Nitrogen flushing.
- In-feed system.
- Out-feed system.
- Metal detection.
- Check weigher.

UTILITY



- Compressed Air : 500 lpm at 6.0 Kg/sq.cm.
- Power : 10 KW

DOSING OPTIONS

CUP FILLER



Powders (free flowing), Granules, Pulses, Beans, Detergents, Tea, Coffee, Seeds, Sugar, Rice, etc.

AUGER FILLER



Non-free flowing sticky powders like Milk, Turmeric, Pharma Powders, etc.

MULTIHEAD WEIGHER



Rice, Pulses, Tea, Coffee Beans, Candies/Toffees, Tablets, Cashew, Potato/Banana Wafers, Snack Foods, Fresh & Frozen Foods, Dried Fruits, Pasta Pieces, Detergents, Hardware Items, Spices, Soup Mixes, Sugar, etc.

MB 250



MULTIHEAD
WEIGHER



FILLER RANGE

25 GM - 2000 GM



MAX SPEED

UPTO
80 PPM



BAG SIZE

W: 40 - 250 MM
L: 70 - 350 MM



MACHINE SIZE

W: 1600 MM
L: 1300 MM
H: 1700 MM



PILLOW POUCH



QUAD GUSSET POUCH



BLOCK BOTTOM
GUSSET POUCH

ABOUT MB 250

If your looking for flexibility this is the perfect bagger. You will be able to quickly respond to the changing demands and challenges of the market thanks to it's versatility, high speed and ability to create a wide range of bag types.

FEATURES



- PLC based control system.
- 7" Touch HMI.
- Powered film unwind.
- Film tension control.
- Photo eye for film length control.
- Auto web alignment.

OPTIONS



- Hot Roll/Thermal Transfer (TTO) printer integration.
- GMP version.
- CE & UL certification available.
- Splicing table for easy film change-over.
- Gusset station.
- Static eliminator.
- UV film sterilization.
- Batch cutting.
- Nitrogen flushing.
- In-feed system.
- Out-feed system.
- Metal detection.
- Check weigher.

UTILITY



- Compressed Air : 250 lpm at 6.0 Kg/sq.cm.
- Power : 6 KW

DOSING OPTIONS

CUP FILLER



Powders (free flowing), Granules, Pulses, Beans, Detergents, Tea, Coffee, Seeds, Sugar, Rice, etc.

AUGER FILLER



Non-free flowing sticky powders like Milk, Turmeric, Pharma Powders, etc.

MULTIHEAD WEIGHER



Rice, Pulses, Tea, Coffee Beans, Candies/Toffees, Tablets, Cashew, Potato/Banana Wafers, Snack Foods, Fresh & Frozen Foods, Dried Fruits, Pasta Pieces, Detergents, Hardware Items, Spices, Soup Mixes, Sugar, etc.

MB 250 EV



FILLER RANGE
25 GM - 5000 GM



MAX SPEED
UPTO
80 PPM



BAG SIZE
W: 40 - 300 MM
L: 70 - 500 MM



MACHINE SIZE
W: 2300 MM
L: 1600 MM
H: 1900 MM



PILLOW POUCH



QUAD GUSSET POUCH



BLOCK BOTTOM
GUSSET POUCH

ABOUT MB 250 EV

Wraptech's biggest bagger, for high volume products and special applications. Includes a heavy duty welded frame and can produce pouches up to 300 mm wide, as well as a carry handle for convenient carrying.

FEATURES



- PLC based control system.
- 7" Touch HMI.
- Powered film unwind.
- Film tension control.
- Photo eye for film length control.
- Auto web alignment.

OPTIONS



- Hot Roll/Thermal Transfer (TTO) printer integration.
- GMP version.
- CE & UL certification available.
- Splicing table for easy film change-over.
- Gusset station.
- Static eliminator.
- UV film sterilization.
- Batch cutting.
- Nitrogen flushing.
- In-feed system.
- Out-feed system.
- Metal detection.
- Check weigher.

UTILITY



- Compressed Air : 250 lpm at 6.0 Kg/sq.cm.
- Power : 6 KW

DOSING OPTIONS

CUP FILLER



Powders (free flowing), Granules, Pulses, Beans, Detergents, Tea, Coffee, Seeds, Sugar, Rice, etc.

AUGER FILLER



Non-free flowing sticky powders like Milk, Turmeric, Pharma Powders, etc.

MULTIHEAD WEIGHER



Rice, Pulses, Tea, Coffee Beans, Candies/Toffees, Tablets, Cashew, Potato/Banana Wafers, Snack Foods, Fresh & Frozen Foods, Dried Fruits, Pasta Pieces, Detergents, Hardware Items, Spices, Soup Mixes, Sugar, etc.

MB 250 EV DOY



FILLER RANGE

25 GM - 2000 GM



MAX SPEED

UPTO
60 PPM



BAG SIZE

W: UPTO 220 MM
L: UPTO 300 MM



MACHINE SIZE

W: 2300 MM
L: 1600 MM
H: 1900 MM



STAND UP (DOY) POUCH

ABOUT MB 250 EV DOY

Vertical bagger that can produce a Stand up (Doy) pouch. The machine creates extremely good looking stand up pouches, as well as precise and well finished zipper ends. The machine can create more than 10 variations of stand up pouches. From standup pouches with euro slots, to bags with different shapes of carrying holes or with flaps that close the top of the bag.

FEATURES



- PLC based control system.
- 7" Touch HMI.
- Powered film unwind.
- Film tension control.
- Photo eye for film length control.
- Auto web alignment.
- Integrated former and vertical sealing assembly.
- Automatic zip feed system.

OPTIONS



- Hot Roll/Thermal Transfer (TTO) printer integration.
- GMP version.
- CE & UL certification available.
- Splicing table for easy film change-over.
- Static eliminator.
- UV film sterilization.
- Tear cutting.
- Batch cutting.
- Nitrogen flushing.
- In-feed system.
- Out-feed system.
- Metal detection.
- Check weigher.

UTILITY



- Compressed Air : 600 lpm at 6.0 Kg/sq.cm.
- Power : 8 KW

DOSING OPTIONS

CUP FILLER



Powders (free flowing), Granules, Pulses, Beans, Detergents, Tea, Coffee, Seeds, Sugar, Rice, etc.

AUGER FILLER



Non-free flowing sticky powders like Milk, Turmeric, Pharma Powders, etc.

MULTIHEAD WEIGHER



Rice, Pulses, Tea, Coffee Beans, Candies/Toffees, Tablets, Cashew, Potato/Banana Wafers, Snack Foods, Fresh & Frozen Foods, Dried Fruits, Pasta Pieces, Detergents, Hardware Items, Spices, Soup Mixes, Sugar, etc.

THUNDER



FILLER RANGE

25 GM - 750 GM



MAX SPEED

UPTO
140 PPM



BAG SIZE

W: 40 - 200 MM
L: 70 - 250 MM



MACHINE SIZE

W: 2300 MM
L: 1300 MM
H: 1500 MM



PILLOW POUCH

ABOUT THUNDER

A continuous motion machine integrated with 5 servo motors synchronised by a motion controller by TRIO (UK). The machine uses a unique belt drive system for the horizontal seal carriage up and down movement. The machine also uses a steel belt for vertical sealing & vaccum draw down belts for paper pull.

FEATURES



- PLC based control system.
- 7" Touch HMI.
- Powered film unwind.
- Film tension control.
- Photo eye for film length control.
- Auto web alignment.

OPTIONS



- Hot Roll/Thermal Transfer (TTO) printer integration.
- GMP version.
- CE & UL certification available.
- Splicing table for easy film change-over.
- Gusset station.
- Static eliminator.
- UL film sterilization.
- Batch cutting.
- Nitrogen flushing.
- In-feed system.
- Out-feed system.
- Metal detection.
- Check weigher.

UTILITY



- Compressed Air : 250 lpm at 6.0 Kg/sq.cm.
- Power : 15 KWV

DOSING OPTIONS

AUGER FILLER



Non-free flowing sticky powders like Milk, Turmeric, Pharma Powders, etc.

MULTIHEAD WEIGHER



Rice, Pulses, Tea, Coffee Beans, Candies/Toffees, Tablets, Cashew, Potato/Banana Wafers, Snack Foods, Fresh & Frozen Foods, Dried Fruits, Pasta Pieces, Detergents, Hardware Items, Spices, Soup Mixes, Sugar, etc.

MB 150



AUGER FILLER



FILLER RANGE

100 MG - 50 GM



MAX SPEED

2 TRACK: UPTO 80 PPM
4 TRACK: UPTO 160 PPM
6 TRACK: UPTO 240 PPM
8 TRACK: UPTO 320 PPM
10 TRACK: UPTO 400 PPM



BAG SIZE

2, 4 & 6 TRACK: W: 40-100 MM L: 40-200 MM
8 TRACK: W: 40-75 MM L: 40-200 MM
10 TRACK: W: 40-60 MM L: 40-200 MM

*Special size available on request.



MACHINE SIZE

W: 1500 MM
L: 1600 MM
H: 1800 MM



4 SIDE SEAL SACHET

ABOUT MB 150

Our flat sachet packaging machinery is prepared for any type of product, offering an easy & fast format change with low maintenance, reducing downtime at the production line. With a simple & compact design, it is built up with high resistance & durable components. This model has been a work horse in the Indian Pharmaceutical sachet market for over 20 years, providing flexibility without compromising on output. It is also GMP compliant.

FEATURES



- GMP construction.
- PLC based control system.
- 7" Touch HMI.
- Powered film unwind.
- Film tension control.
- Photo eye for film length control.
- Auto web alignment.

OPTIONS



- Design sealing pattern.
- Auto carton integration.
- Complete flame proof version available.
- Can be upgraded to ATEX for flammable products.
- Can be upgraded to 21CFRpart11.
- Inkjet/Laser printer integration.
- Camera inspection OCR & BCR with rejection.
- CE & UL certification available.
- Jacketed hopper with hot water/oil recirculation system.
- Splicing table for easy film change-over.

UTILITY



- Compressed Air : 700 lpm at 6.0 Kg/sq.cm.
- Power : 6KW

DOSING OPTIONS

SLIDE FILLER



Free flowing Pharma Powders, Granules, Sugars, Salt, etc.

AUGER FILLER



Non-free flowing sticky powders like Milk, Turmeric, Pharma Powders, etc.

LIQUID FILLER



Liquid products like, Shampoo, Cough Syrup, Coconut Oil, Liquid Detergent, Ketchup, etc.

VISCOUS PASTE FILLER



Viscous Products like, Tomato Paste, Peanut Paste, Jellies, Cream, Chocolate Paste, etc.

MB 160



FILLER RANGE

100 MG - 50 GM



MAX SPEED

2 TRACK: UPTO 80 PPM
 4 TRACK: UPTO 160 PPM
 6 TRACK: UPTO 240 PPM
 8 TRACK: UPTO 320 PPM
 10 TRACK: UPTO 400 PPM



BAG SIZE

W: 15 - 40 MM
 L: 40 - 200 MM



MACHINE SIZE

W: 1450 MM
 L: 1100 MM
 H: 1450 MM



STICK PACK

ABOUT MB 160

The stick pack technology makes it easy to follow current market trends for single serve packaging in a more sustainable design, as it uses less material and reduces volume. We also offer a perfect finish to improve consumer satisfaction, regardless of the type of product. Our micro dosers have become a benchmark for high accuracy, small dosage of pharmaceutical products as low as 100mg.

FEATURES



- GMP construction.
- PLC based control system.
- 7" Touch HMI.
- Powered film unwind.
- Film tension control.
- Photo eye for film length control.
- Auto web alignment.

OPTIONS



- Complete SS version available.
- Complete flame proof version available.
- Can be upgraded to ATEX for flammable products.
- Can be upgraded to 21CFRpart11.
- Inkjet/Laser printer integration.
- Camera inspection OCR & BCR with rejection.
- CE & UL certification available.
- Jacketed hopper with hot water/oil recirculation system.
- Splicing table for easy film change-over.
- Air shaft film holder for easy film change-over.

UTILITY



- Compressed Air : 600 lpm at 6.0 Kg/sq.cm.
- Power : 10 KW

DOSING OPTIONS

SLIDE FILLER



Free flowing Pharma Powders, Granules, Sugars, Salt, etc.

AUGER FILLER



Non-free flowing sticky powders like Milk, Turmeric, Pharma Powders, etc.

LIQUID FILLER



Liquid products like, Shampoo, Cough Syrup, Coconut Oil, Liquid Detergent, Ketchup, etc.

VISCOUS PASTE FILLER



Viscous Products like, Tomato Paste, Peanut Paste, Jellies, Cream, Chocolate Paste, etc.

MH 110



Manufactured under License from Postpack Spain.



FILLER RANGE

Simplex (S)* : 60cc
Duplex (D)* : 20cc



MAX SPEED

(S)* : 100 SPM
(D)* : 200 SPM



BAG SIZE

Min: (S)*35x35mm
(D)*35+35x35mm
Max: (S)*110x130mm
(D)*65+65x130mm



MACHINE SIZE

W: 990 MM
L: 2245 MM
H: 1895 MM

Please note : (S)* = Simplex & (D)* = Duplex



3 SIDE SEAL
SACHET



4 SIDE SEAL
SACHET

ABOUT MH 110

The horizontal packaging machines, series MH 110, both in simplex & duplex version, have been developed for the packaging of powder, granule, liquid & pasty products, as well as refreasing tissues in 3 or 4 side sealed pouches. Starting from a reel of heatsealable material, the film is folded into a "V" shape & by intermittent motion, the machine forms, fills & seals in an automatic way. The sachets are transported by intermittent motion. At the end of the process, sachets can be cut one by one or twin version or even making strings of sachets linked together by intermediated perforation.

FLOW



OPTIONS



- Reel Dia. Max. 450mm.
- "V" Shape.
- Photocell for eye mark detection.
- Bottom Seal.
- Opening.
- Vertical Seal & Filling.
- Top Seal.
- Cutting & Pulling.

- Outlet Conveyor.
- Counting & Grouping Conveyor.
- Tear Notch (Linear or Triangle).
- Emboss Coder.
- Hot or Ink Jet Printer.
- Inert Gas Device.
- Bottle Shape.
- Tissue Device.
- Round or Eurohole Display.

UTILITY



- Power/Electrical Consumption : 1.8 KW to 3 KW.

DOSING OPTIONS

AUGER FILLER



Non-free flowing sticky powders like Milk, Turmeric, Pharma Powders, etc.

VISCOUS PASTE FILLER



Viscous Products like, Tomato Paste, Peanut Paste, Jellies, Cream, Chocolate Paste, etc.

MH 140



Manufactured under License from Postpack Spain.



FILLER RANGE

Simplex (S)* : 250cc
Duplex (D)* : 90 cc



MAX SPEED

(S)* : 100 SPM
(D)* : 200 SPM



BAG SIZE

Min: (S)*70x90mm
(D)*50+50x90mm
Max: (S)*140x200mm
(D)*70+70x200mm



MACHINE SIZE

W: 1125 MM
L: 3810 MM
H: 1895 MM

Please note : (S)* = Simplex & (D)* = Duplex



3 SIDE SEAL
SACHET



4 SIDE SEAL
SACHET

ABOUT MH 140

The horizontal packaging machines, series MH 140, both in simplex & duplex version, have been developed for the packaging of powder, granule, liquid & pasty products, as well as refreasing tissues in 3 or 4 side sealed pouches. Starting from a reel of heatsealable material, the film is folded into a "V" shape & by intermittent motion, the machine forms the sachet & cuts them individually, after that they are transported to the opening, filling (2-3 stations) and sealing stations.

FLOW



OPTIONS



- Reel Dia. Max. 450mm.
- "V" Shape.
- Photocell for eye mark detection.
- Bottom Seal.
- Vertical Seal & Cutting.
- Pulling.
- Opening.
- 1,2 & 3 Filling Stations.
- Closing Sachet.
- Top Seal.

- Outlet Conveyor.
- Counting & Grouping Conveyor.
- Tear Notch (Linear or Triangle).
- Emboss Coder.
- Hot or Ink Jet Printer.
- Inert Gas Device.
- Round or Eurohole Display.

UTILITY



- Power/Electrical Consumption : 1.8 KW to 3 KW.

DOSING OPTIONS

AUGER FILLER



Non-free flowing sticky powders like Milk, Turmeric, Pharma Powders, etc.

VISCOUS PASTE FILLER



Viscous Products like, Tomato Paste, Peanut Paste, Jellies, Cream, Chocolate Paste, etc.

WMPFS 60



3 SIDE SEAL
SACHET



4 SIDE SEAL
SACHET



PILLOW POUCH

ABOUT WMPFS 60

Wraptech's Pick, Fill & Seal system is a simplex rotary machine specifically designed for pre-made pouch filling applications across various sectors.

FEATURES



- PLC Based control system.
- 7' touch HMI.
- GMP construction.
- Ability to handle a wide range of formats.
- No change parts needed for pouch changeover.
- No Pouch, no Fill.

OPTIONS



- Coding integration.
- Camera inspection OCR & BCR with rejection.
- CE & UL certification available.

UTILITY



- Compressed Air : 300 LMP at 6 kg/sq.cm
- Power : 5KVA.



BLOCK BOTTOM GUSSET
POUCH



QUAD GUSSET POUCH




STAND UP (DOY)
POUCH

WMFTL 160

ABOUT WMFTL 160

Reliability, versatility & speed, that's what you get with Wraptech Flow Wrappers. An ideal machine to pack solid products that cannot be dropped vertically into a pouch.



MAX SPEED

UPTO
160 TPM




BAG SIZE

W: 50 - 150 MM
L: 80 - 240 MM
H: 55 MM



MACHINE SIZE

W: 800 MM
L: 4000 MM
H: 1500 MM

UTILITY 
Power : 4 KW



HORIZONTAL PILLOW POUCH

WMFBL 120

ABOUT WMFBL 120

Reliability, versatility & speed, that's what you get with Wraptech Flow Wrappers. An ideal machine to pack solid products that cannot be dropped vertically into a pouch.



MAX SPEED

UPTO
120 TPM



BAG SIZE

W: 50 - 160 MM
L: 80 - 300 MM
H: 55 MM



MACHINE SIZE

W: 800 MM
L: 4000 MM
H: 1500 MM

UTILITY 

Power : 4 KW



HORIZONTAL PILLOW POUCH

WMC 200



OUTPUT

200 BOX/MIN



MAX SPEED

UPTO
200 BPM



BOX DETAILS

Thickness :
250 - 350 g/m²
Size Range :
L : 70 - 250 MM
W : 50 - 120 MM
H : 20 - 90 MM



MACHINE

L : 3500 MM
W : 1350 MM
H : 1900 MM
Weight : 1600 kgs
(approx)



CARTON

ABOUT WMC 200

Horizontal continuous motion cartoner WMC 200 is designed for small/medium size products cartoning applications and is suitable for the pharmaceutical, cosmetic, food and consumer products industry. The cartoner is a fully servo driven, highly flexible, economical and robust cartoner. The continuous motion modes permit compact layouts, simple change-overs and a broad range of applications. Featuring easy change-over, various closure systems and product feeders, our customised solutions ensure guaranteed performance.

FEATURES



- PLC Based control system.
- Touch Screen HMI controls.
- Japanese Omron electric parts.
- Vacuum assisted pre-break.
- Without product the carton will not be sucked down.
- Auto display trouble alarm & count of finished product.
- German sick photocell.
- Overload protection.
- Robot to achieve automatic sorting function.
- Lack of sandwich, Audio/Visual alarm.
- Visual system detect the sandwich & give feedback to the robot.
- Robot to grab the sandwich into conveyor of cartoning machine automatically when it receives feedback from the visual system.
- Safety protection : Safety door for Robot maintainance.

OPTIONS



- Auto Conveyor.
- Print batch numbers or dates on the cartons.
- Electric parts brand options like Simens.
- Hot melt glue (can be American Nordson, Switzerland Robatech)


UTILITY



- Compressed Air : Working pressure greater than or equal to 6 kg.
- Power : 440V 50HZ.
- Air Consumption : 1000 LPM.
- Motor Power : 1.5KW.



MB 50 DUPLEX



BOTTLES



JAR

ABOUT MB 50 DUPLEX

Wraptech offers a range of filling systems for a wide range of products from food & beverages to cosmetics & pharmaceutical application. Each machine can be configured to handle a variety of products & packaging sizes to ensure, maximum flexibility and productivity.

FEATURES



- PLC Based control system.
- 7' touch HMI.
- Proximity sensors to ensure correct container placement.
- Diving filler clamp to ensure no spillage.
- Aspiration outlet.
- No container, no Fill.

OPTIONS



- Container In-Feed & Out-Feed turntable.
- Foil Sealer.
- "Pick-n-Place" or "On the Fly" capping options utilising Screw cap, Snap Cap & RO Capping heads for torque specific applications as well as cap orientation.
- Vibratory cap unscramblers with cap elevators.
- Auto Check Weigher with tendency feedback.

UTILITY



- Compressed Air : 300 LMP at 6 kg/sq.cm
- Power : 5KVA.

WRAPTECH PROJECTS

Over the years Wraptech has evolved from just a packaging machine supplier to an integrated end to end solution provider. From setting up complete packaging lines that we integrate with pre & post allied equipment. Our expertise also enables us to extend to our clients solutions for customized traffic management solution for easy integration with secondary & tertiary packaging.





Date:

CONTACT INFORMATION

Company Name**:

Contact Name**:

Company Address Street 1:

Street 2:

City:

State:

Country**:

Contact Details Landline 1:

Landline 2:

Fax

Other

Mobile**:

Email**:

PROJECT INFORMATION

Product**:

Product Weight (gm)**:


Product Bulk Density (cc/gm):

Pack Style**:

Bag Dimensions:

** Mandatory. We cannot quote without these details.





ANGOLA • AUSTRALIA • BANGLADESH • CAMEROON • CANADA • EGYPT • ETHIOPIA • GHANA • IRAQ • JORDAN • KENYA • KUWAIT • MADAGASCAR • MALAWI • MAURITIUS • MOROCCO • MOZAMBIQUE • NEPAL • NEW ZEALAND • NIGERIA • PHILIPPINES • SAUDI ARABIA • SINGAPORE • SOUTH AFRICA • SRI LANKA • TANZANIA • U.A.E. • U.K. • U.S.A. • UGANDA • YEMEN • ZAMBIA



Wraptech Machines Pvt. Ltd., Plot No. D-273 & D-274, T.T.C. Industrial Area,
M.I.D.C. Turbhe, Dist. Thane, Navi Mumbai - 400705, Maharashtra, India
Tel.: +91 22 6152 4400/01/02/03 | www.wrapmachines.com

Agent Contact