



WRAPTECH

- Engineered To Excellence -

**PACKAGING
SOLUTIONS**

AN ISO 9001:2015 COMPANY

VISION

Our vision, is to become the preferred machine solution provider to our valued customers, who share the same passion for perfection and excellence as we do.

MISSION

Continuously endeavour to offer total packaging solutions & update our cutting edge technology, backed by an efficient customer service.

LETTER FROM THE M.D.

'Package is the Product', this has never been more true than today. With packaged products vying for customer attention from the crowded shelves at various points of purchase, both, online & offline, it is the Packaging that differentiates the product & builds the brand.

Packaging has always been fascinating to us & making innovative Packaging Machines - an enduring passion. With machines manufactured in a high technology environment at our plant based in Mumbai, India, our technical team is very versatile and delivers tailormade packaging solutions to meet & exceed expectations of our esteemed customers.

Each Wraptech Machine is "Engineered to Excellence" & this dedication has earned us the trust and confidence of a growing number of discerning clients. With our proven technology & experience, we are committed to work as partners with our customers.



ASHISH B. MEGHANI
Managing Director

ABOUT THE COMPANY

Located in the industrial hub of Navi Mumbai, our state of the art 20,000 sq. ft factory boasts facilities & equipment where we pay minute attention to every detail at every department, be it Engineering, R&D, Workshop area, Assembly Area and the FAT room.

Wraptech has **over 30 years'** experience in packaging machine manufacturing & is known for quality, dependability and reliability across the industry, while meeting International standards. With over **4000 installations across 30 countries & spanning 6 continents**, Wraptech is on the fast-track to becoming one of Asia's leading packaging machine manufactures and end to end turnkey solution providers.

THE WRAPTECH ADVANTAGE

With a truly global agent network, we offer full service back up with the shortest lead time through our team of well-trained engineers & aptly stocked spares. Advanced software enhances the competence of our designers to translate ideas into innovations.

Over the years our machines have won prestigious awards from reputed organisations, proving to be a testimony to the **Engineering Excellence** of Wraptech Machines.



A GLIMPSE AT OUR CLIENTS



The above logos are property of the brand owner.

CONTENTS

VERTICAL MACHINES

ECONOMICAL RANGE

- i) MB 100 01-02
- ii) MB 200 03-04

INTERMITTENT BAGGER

- i) MB 25 05-06
- ii) MB 25 TSS 07-08
- iii) MB 25 DH 09-10
- iv) MB 250 11-12
- v) MB 250 EV 13-14
- vi) MB 250 EV DOY 15-16

CONTINUOUS BAGGER

- i) Thunder 17-18

MULTILANE RANGE

- i) MB 150 Sachet Pack 19-20
- ii) MB 160 Stick Pack 21-22

HORIZONTAL FLOW WRAPPER

- TOP LOADING 23
- BOTTOM LOADING 24

TUBE FILLING

- WMTF 80 25-26

WRAPTECH PROJECTS 27-28

MB 100



CUP FILLER

FILLER RANGE
0.5 GM - 50 GM

MAX SPEED
UPTO
100 PPM

BAG SIZE
W: 40 - 100 MM
L: 45 - 150 MM

MACHINE SIZE
W: 700 MM
L: 500 MM
H: 2000 MM



3 SIDE SEAL SACHET



4 SIDE SEAL SACHET

ABOUT MB 100

A vertical mechanical machine for small to medium volume production. Entry level sachet packer ideal for start-up's, R&D labs & low production requirements.

FEATURES

- Mechanical design.
- Rugged construction.
- Small foot print.
- Quick change-over.
- High accuracy.
- Photo eye for film length control.



OPTIONS

- Hot Roll/Thermal Transfer (TTO) printer integration.
- GMP version.
- CE & UL certification available.
- Jacketed hopper with hot water/oil recirculation system.
- Tear cutting.
- Batch cutting.
- Nitrogen flushing.
- In-feed system.



UTILITY



- Compressed Air : 10 lpm at 6.0 Kg/sq.cm.
- Power : 3KW

DOSING OPTIONS

CUP FILLER



Powders (free flowing), Granules, Pulses, Beans, Detergents, Tea, Coffee, Seeds, Sugar, Rice, etc.

AUGER FILLER



Non-free flowing sticky powders like Milk, Turmeric, Pharma Powders, etc.

LIQUID FILLER



Liquid products like, Shampoo, Cough Syrup, Coconut Oil, Liquid Detergent, Ketchup, etc.

VISCOUS PASTE FILLER



Viscous Products like, Tomato Paste, Peanut Paste, Jellies, Cream, Chocolate Paste, etc.

MB 200

ABOUT MB 200

A vertical mechanical machine for small to medium volume production. Entry level sachet & pillow packer ideal for start-up's, R&D labs & low production requirements.

CUP FILLER



FEATURES

- PLC based control system.
- Stepper motor drive for paper roll.
- Mechanical cam based sealing system.
- Small footprint.
- Quick change-over.
- Photo eye for film length control.

OPTIONS

- Hot Roll/Thermal Transfer (TTO) printer integration.
- GMP version.
- CE & UL certification available.
- Jacketed hopper with hot water/oil recirculation system.
- Tear cutting.
- Batch cutting.
- Nitrogen flushing.
- In-Feed system.
- Out-Feed system.

UTILITY

- Compressed Air : 10 lpm at 6.0 Kg/sq.cm.
- Power : 2KW

DOSING OPTIONS

CUP FILLER



Powders (free flowing), Granules, Pulses, Beans, Detergents, Tea, Coffee, Seeds, Sugar, Rice, etc.

AUGER FILLER



Non-free flowing sticky powders like Milk, Turmeric, Pharma Powders, etc.



FILLER RANGE
5 GM - 100 GM



MAX SPEED
UPTO
60 PPM



BAG SIZE
W: 20 - 150 MM
L: 60 - 200 MM



MACHINE SIZE
W: 1000 MM
L: 700 MM
H: 1000 MM



3 SIDE SEAL SACHET



PILLOW POUCH

MB 25



FILLER RANGE
25 GM - 750 GM

MAX SPEED
UPTO
100 PPM

BAG SIZE
W: 40 - 175 MM
L: 70 - 250 MM

MACHINE SIZE
W: 1500 MM
L: 1000 MM
H: 1300 MM



3 SIDE SEAL SACHET



PILLOW POUCH



QUAD GUSSET POUCH



BLOCK BOTTOM GUSSET POUCH

ABOUT MB 25

A full feature machine ideal for high output and reliable performance which will be your long-term partner. You will be able to quickly respond to the changing demands and challenges of the market thanks to its versatility, high speed and ability to create a wide range of bag types.

FEATURES

- PLC based control system.
- 7" Touch HMI.
- Powered film unwind.
- Film tension control.
- Photo eye for film length control.
- Auto web alignment.

OPTIONS

- Hot Roll/Thermal Transfer (TTO) printer integration.
- GMP version.
- CE & UL certification available.
- Splicing table for easy film change-over.
- Gusset station.
- Static eliminator.
- UV film sterilization.
- Batch cutting.
- Nitrogen flushing.
- In-feed system.
- Out-feed system.
- Metal detection.
- Check weigher.

UTILITY

- Compressed Air : 250 lpm at 6.0 Kg/sq.cm.
- Power : 6 KW

DOSING OPTIONS

CUP FILLER




Powders (free flowing), Granules, Pulses, Beans, Detergents, Tea, Coffee, Seeds, Sugar, Rice, etc.

AUGER FILLER



Non-free flowing sticky powders like Milk, Turmeric, Pharma Powders, etc.

MULTIHEAD WEIGHER



Rice, Pulses, Tea, Coffee Beans, Candies/Toffees, Tablets, Cashew, Potato/Banana Wafers, Snack Foods, Fresh & Frozen Foods, Dried Fruits, Pasta Pieces, Detergents, Hardware Items, Spices, Soup Mixes, Sugar, etc.

MB 25 TSS



CUP FILLER

FILLER RANGE
25 GM - 750 GM

MAX SPEED
UPTO
70 PPM

BAG SIZE
W: 40 - 175 MM
L: 70 - 250 MM

MACHINE SIZE
W: 1500 MM
L: 1000 MM
H: 1300 MM



PILLOW POUCH

ABOUT MB 25 TSS

Wraptech's table draw motion machine, perfect for dusty/corrosive products. Engineered as the most easily serviceable vertical bagging machine on the market today, it is as user friendly as it is fast. Commonly used for applications from 30 packages per minute to 70 and includes a heavy duty welded stainless steel frame that is built to last.

FEATURES

- GMP construction.
- Stainless Steel 316L body & contact parts.
- PLC based control system.
- 7" Touch HMI.
- Powered film unwind.
- Film tension control.
- Beltless film pulling.
- Photo eye for film length control.

OPTIONS

- Hot Roll/Thermal Transfer (TTO) printer integration.
- GMP version.
- CE & UL certification available.
- UV film sterilization.
- Nitrogen flushing.
- In-feed system.
- Out-feed system.
- Metal detection.
- Check weigher.

UTILITY

- Compressed Air : 150 lpm at 6.0 Kg/sq.cm.
- Power : 6 KW

DOSING OPTIONS

CUP FILLER



Powders (free flowing), Granules, Pulses, Beans, Detergents, Tea, Coffee, Seeds, Sugar, Rice, etc.

AUGER FILLER




Non-free flowing sticky powders like Milk, Turmeric, Pharma Powders, etc.

MULTIHEAD WEIGHER



Rice, Pulses, Tea, Coffee Beans, Candies/Toffees, Tablets, Cashew, Potato/Banana Wafers, Snack Foods, Fresh & Frozen Foods, Dried Fruits, Pasta Pieces, Detergents, Hardware Items, Spices, Soup Mixes, Sugar, etc.

MB 25 DH



AUGER FILLER

ABOUT MB 25 DH

A full feature dual head machine ideal for high output, versatile and reliable performance which will be your long-term partner. You'll be able to quickly respond to the changing demands and challenges of the market due to it's high speed and ability to create a wide range of bag types.

FEATURES

- PLC based control system.
- 7" Touch HMI.
- Powered film unwind.
- Film tension control.
- Photo eye for film length control.
- Auto web alignment.

OPTIONS

- Hot Roll/Thermal Transfer (TTO) printer integration.
- GMP version.
- CE & UL certification available.
- Splicing table for easy film change-over.
- Gusset station.
- Static eliminator.
- UV film sterilization.
- Batch cutting.
- Nitrogen flushing.
- In-feed system.
- Out-feed system.
- Metal detection.
- Check weigher.

UTILITY

- Compressed Air : 500 lpm at 6.0 Kg/sq.cm.
- Power : 10 KW

DOSING OPTIONS

CUP FILLER




Powders (free flowing), Granules, Pulses, Beans, Detergents, Tea, Coffee, Seeds, Sugar, Rice, etc.

AUGER FILLER



Non-free flowing sticky powders like Milk, Turmeric, Pharma Powders, etc.

MULTIHEAD WEIGHER



Rice, Pulses, Tea, Coffee Beans, Candies/Toffees, Tablets, Cashew, Potato/Banana Wafers, Snack Foods, Fresh & Frozen Foods, Dried Fruits, Pasta Pieces, Detergents, Hardware Items, Spices, Soup Mixes, Sugar, etc.

FILLER RANGE
25 GM - 750 GM

MAX SPEED
UPTO 200 PPM

BAG SIZE
W: 40 - 175 MM
L: 70 - 250 MM

MACHINE SIZE
W: 3000 MM
L: 1000 MM
H: 1300 MM



3 SIDE SEAL SACHET



PILLOW POUCH



QUAD GUSSET POUCH



BLOCK BOTTOM GUSSET POUCH

MB 250



MULTIHEAD
WEIGHER

ABOUT MB 250

If your looking for flexibility this is the perfect bagger. You will be able to quickly respond to the changing demands and challenges of the market thanks to it's versatility, high speed and ability to create a wide range of bag types.

FEATURES

- PLC based control system.
- 7" Touch HMI.
- Powered film unwind.
- Film tension control.
- Photo eye for film length control.
- Auto web alignment.



OPTIONS

- Hot Roll/Thermal Transfer (TTO) printer integration.
- GMP version.
- CE & UL certification available.
- Splicing table for easy film change-over.
- Gusset station.
- Static eliminator.
- UV film sterilization.
- Batch cutting.
- Nitrogen flushing.
- In-feed system.
- Out-feed system.
- Metal detection.
- Check weigher.



UTILITY



- Compressed Air : 250 lpm at 6.0 Kg/sq.cm.
- Power : 6 KW

DOSING OPTIONS

CUP FILLER




Powders (free flowing), Granules, Pulses, Beans, Detergents, Tea, Coffee, Seeds, Sugar, Rice, etc.

AUGER FILLER



Non-free flowing sticky powders like Milk, Turmeric, Pharma Powders, etc.

MULTIHEAD WEIGHER



Rice, Pulses, Tea, Coffee Beans, Candies/Toffees, Tablets, Cashew, Potato/Banana Wafers, Snack Foods, Fresh & Frozen Foods, Dried Fruits, Pasta Pieces, Detergents, Hardware Items, Spices, Soup Mixes, Sugar, etc.

FILLER RANGE
25 GM - 2000 GM

MAX SPEED
UPTO 80 PPM

BAG SIZE
W: 40 - 250 MM
L: 70 - 350 MM

MACHINE SIZE
W: 1600 MM
L: 1300 MM
H: 1700 MM



PILLOW POUCH



QUAD GUSSET POUCH



BLOCK BOTTOM
GUSSET POUCH

MB 250 EV



FILLER RANGE
25 GM - 5000 GM

MAX SPEED
UPTO 80 PPM

BAG SIZE
W: 40 - 300 MM
L: 70 - 500 MM

MACHINE SIZE
W: 2300 MM
L: 1600 MM
H: 1900 MM



PILLOW POUCH



QUAD GUSSET POUCH



BLOCK BOTTOM GUSSET POUCH

ABOUT MB 250 EV

Wraptech's biggest bagger, for high volume products and special applications. Includes a heavy duty welded frame and can produce pouches up to 300 mm wide, as well as a carry handle for convenient carrying.

FEATURES

- PLC based control system.
- 7" Touch HMI.
- Powered film unwind.
- Film tension control.
- Photo eye for film length control.
- Auto web alignment.

UTILITY

- Compressed Air : 250 lpm at 6.0 Kg/sq.cm.
- Power : 6 KW

OPTIONS

- Hot Roll/Thermal Transfer (TTO) printer integration.
- GMP version.
- CE & UL certification available.
- Splicing table for easy film change-over.
- Gusset station.
- Static eliminator.
- UV film sterilization.
- Batch cutting.
- Nitrogen flushing.
- In-feed system.
- Out-feed system.
- Metal detection.
- Check weigher.

DOSING OPTIONS

CUP FILLER




Powders (free flowing), Granules, Pulses, Beans, Detergents, Tea, Coffee, Seeds, Sugar, Rice, etc.

AUGER FILLER



Non-free flowing sticky powders like Milk, Turmeric, Pharma Powders, etc.

MULTIHEAD WEIGHER



Rice, Pulses, Tea, Coffee Beans, Candies/Toffees, Tablets, Cashew, Potato/Banana Wafers, Snack Foods, Fresh & Frozen Foods, Dried Fruits, Pasta Pieces, Detergents, Hardware Items, Spices, Soup Mixes, Sugar, etc.

MB 250 EV DOY



ABOUT MB 250 EV DOY

Vertical bagger that can produce a Stand up (Doy) pouch. The machine creates extremely good looking stand up pouches, as well as precise and well finished zipper ends. The machine can create more than 10 variations of stand up pouches. From standup pouches with euro slots, to bags with different shapes of carrying holes or with flaps that close the top of the bag.

FEATURES

- PLC based control system.
- 7" Touch HMI.
- Powered film unwind.
- Film tension control.
- Photo eye for film length control.
- Auto web alignment.
- Integrated former and vertical sealing assembly.
- Automatic zip feed system.

OPTIONS

- Hot Roll/Thermal Transfer (TTO) printer integration.
- GMP version.
- CE & UL certification available.
- Splicing table for easy film change-over.
- Static eliminator.
- UV film sterilization.
- Tear cutting.
- Batch cutting.
- Nitrogen flushing.
- In-feed system.
- Out-feed system.
- Metal detection.
- Check weigher.

UTILITY

- Compressed Air : 600 lpm at 6.0 Kg/sq.cm.
- Power : 8 KW

DOSING OPTIONS

CUP FILLER




Powders (free flowing), Granules, Pulses, Beans, Detergents, Tea, Coffee, Seeds, Sugar, Rice, etc.

AUGER FILLER



Non-free flowing sticky powders like Milk, Turmeric, Pharma Powders, etc.

MULTIHEAD WEIGHER



Rice, Pulses, Tea, Coffee Beans, Candies/Toffees, Tablets, Cashew, Potato/Banana Wafers, Snack Foods, Fresh & Frozen Foods, Dried Fruits, Pasta Pieces, Detergents, Hardware Items, Spices, Soup Mixes, Sugar, etc.

FILLER RANGE
25 GM - 2000 GM

MAX SPEED
UPTO 60 PPM

BAG SIZE
W: UPTO 220 MM
L: UPTO 300 MM

MACHINE SIZE
W: 2300 MM
L: 1600 MM
H: 1900 MM



STAND UP (DOY) POUCH

THUNDER

ABOUT THUNDER

A continuous motion machine integrated with 5 servo motors synchronised by a motion controller by TRIO (UK). The machine uses a unique belt drive system for the horizontal seal carriage up and down movement. The machine also uses a steel belt for vertical sealing & vacuum draw down belts for paper pull.



FEATURES

- PLC based control system.
- 7" Touch HMI.
- Powered film unwind.
- Film tension control.
- Photo eye for film length control.
- Auto web alignment.



OPTIONS

- Hot Roll/Thermal Transfer (TTO) printer integration.
- GMP version.
- CE & UL certification available.
- Splicing table for easy film change-over.
- Gusset station.
- Static eliminator.
- UL film sterilization.
- Batch cutting.
- Nitrogen flushing.
- In-feed system.
- Out-feed system.
- Metal detection.
- Check weigher.



UTILITY



- Compressed Air : 250 lpm at 6.0 Kg/sq.cm.
- Power : 15 KWV

DOSING OPTIONS

AUGER FILLER



Non-free flowing sticky powders like Milk, Turmeric, Pharma Powders, etc.

MULTIHEAD WEIGHER



Rice, Pulses, Tea, Coffee Beans, Candies/Toffees, Tablets, Cashew, Potato/Banana Wafers, Snack Foods, Fresh & Frozen Foods, Dried Fruits, Pasta Pieces, Detergents, Hardware Items, Spices, Soup Mixes, Sugar, etc.

FILLER RANGE
25 GM - 750 GM

MAX SPEED
UPTO 140 PPM

BAG SIZE
W: 40 - 200 MM
L: 70 - 250 MM

MACHINE SIZE
W: 2300 MM
L: 1300 MM
H: 1500 MM



PILLOW POUCH

MB 150



AUGER FILLER

FILLER RANGE
100 MG - 50 GM

MAX SPEED
2 TRACK: UPTO 80 PPM
4 TRACK: UPTO 160 PPM
6 TRACK: UPTO 240 PPM
8 TRACK: UPTO 320 PPM
10 TRACK: UPTO 400 PPM

BAG SIZE
2, 4 & 6 TRACK:
W: 40-100 MM
L: 40-200 MM
8 TRACK:
W: 40-75 MM
L: 40-200 MM
10 TRACK:
W: 40-60 MM
L: 40-200 MM
**Special size available on request.*

MACHINE SIZE
W: 1500 MM
L: 1600 MM
H: 1800 MM



4 SIDE SEAL SACHET

ABOUT MB 150

Our flat sachet packaging machinery is prepared for any type of product, offering an easy & fast format change with low maintenance, reducing downtime at the production line. With a simple & compact design, it is built up with high resistance & durable components. This model has been a work horse in the Indian Pharmaceutical sachet market for over 20 years, providing flexibility without compromising on output. It is also GMP compliant.

FEATURES

- GMP construction.
- PLC based control system.
- 7" Touch HMI.
- Powered film unwind.
- Film tension control.
- Photo eye for film length control.
- Auto web alignment.

OPTIONS

- Design sealing pattern.
- Auto carton integration.
- Complete flame proof version available.
- Can be upgraded to ATEX for flammable products.
- Can be upgraded to 21CFRpart11.
- Inkjet/Laser printer integration.
- Camera inspection OCR & BCR with rejection.
- CE & UL certification available.
- Jacketed hopper with hot water/oil recirculation system.
- Splicing table for easy film change-over.

UTILITY

- Compressed Air : 700 lpm at 6.0 Kg/sq.cm.
- Power : 6KW

DOSING OPTIONS

SLIDE FILLER



Free flowing Pharma Powders, Granules, Sugars, Salt, etc.

AUGER FILLER



Non-free flowing sticky powders like Milk, Turmeric, Pharma Powders, etc.

LIQUID FILLER



Liquid products like, Shampoo, Cough Syrup, Coconut Oil, Liquid Detergent, Ketchup, etc.

VISCOUS PASTE FILLER



Viscous Products like, Tomato Paste, Peanut Paste, Jellies, Cream, Chocolate Paste, etc.

MB 160



SLIDE FILLER

FILLER RANGE
100 MG - 50 GM

MAX SPEED
2 TRACK: UPTO 80 PPM
4 TRACK: UPTO 160 PPM
6 TRACK: UPTO 240 PPM
8 TRACK: UPTO 320 PPM
10 TRACK: UPTO 400 PPM

BAG SIZE
W: 15 - 40 MM
L: 40 - 200 MM

MACHINE SIZE
W: 1450 MM
L: 1100 MM
H: 1450 MM



STICK PACK

ABOUT MB 160

The stick pack technology makes it easy to follow current market trends for single serve packaging in a more sustainable design, as it uses less material and reduces volume. We also offer a perfect finish to improve consumer satisfaction, regardless of the type of product. Our micro dosers have become a benchmark for high accuracy, small dosage of pharmaceutical products as low as 100mg.

FEATURES

- GMP construction.
- PLC based control system.
- 7" Touch HMI.
- Powered film unwind.
- Film tension control.
- Photo eye for film length control.
- Auto web alignment.

OPTIONS

- Complete SS version available.
- Complete flame proof version available.
- Can be upgraded to ATEX for flammable products.
- Can be upgraded to 21CFRpart11.
- Inkjet/Laser printer integration.
- Camera inspection OCR & BCR with rejection.
- CE & UL certification available.
- Jacketed hopper with hot water/oil recirculation system.
- Splicing table for easy film change-over.
- Air shaft film holder for easy film change-over.

UTILITY

- Compressed Air : 600 lpm at 6.0 Kg/sq.cm.
- Power : 10 KW

DOSING OPTIONS

SLIDE FILLER



Free flowing Pharma Powders, Granules, Sugars, Salt, etc.

AUGER FILLER



Non-free flowing sticky powders like Milk, Turmeric, Pharma Powders, etc.

LIQUID FILLER



Liquid products like, Shampoo, Cough Syrup, Coconut Oil, Liquid Detergent, Ketchup, etc.

VISCOUS PASTE FILLER



Viscous Products like, Tomato Paste, Peanut Paste, Jellies, Cream, Chocolate Paste, etc.

HORIZONTAL FLOW WRAPPER

TOP LOADING

WMFTL 160

ABOUT WMFTL 160

Reliability, versatility & speed, that's what you get with Wraptech Flow Wrappers. An ideal machine to pack solid products that cannot be dropped vertically into a pouch.



MAX SPEED
UPTO
160 TPM

BAG SIZE
W: 50 - 150 MM
L: 80 - 240 MM
H: 55 MM

MACHINE SIZE
W: 800 MM
L: 4000 MM
H: 1500 MM

UTILITY
Power : 4 KW



HORIZONTAL PILLOW POUCH

HORIZONTAL FLOW WRAPPER

BOTTOM LOADING

WMFBL 120

ABOUT WMFBL 120

Reliability, versatility & speed, that's what you get with Wraptech Flow Wrappers. An ideal machine to pack solid products that cannot be dropped vertically into a pouch.



MAX SPEED
UPTO
120 TPM

BAG SIZE
W: 50 - 160 MM
L: 80 - 300 MM
H: 55 MM

MACHINE SIZE
W: 800 MM
L: 4000 MM
H: 1500 MM

UTILITY
Power : 4 KW



HORIZONTAL PILLOW POUCH

WMFT 80

Wraptech WMTF 80 is a cost effective filler that provides many features as standards, highly suited for compact spaces. The machine has been designed for easy operator use and maintenance. Stainless steel construction with GMP features, the machine is compact, elegant & ergonomically designed for easy & quick change over. It is suitable for Pharmaceuticals, Cosmetic, Chemical & Food Industries.



FEATURES



OPTIONS



- Auto tube feeding by auto feeder placed outside the machine working area. GMP Feature.
- Tube cleaning by air blow & vacuum.
- 13 position turntable.
- Tube eye mark registration for accurate orientation of tube.
- No tube – no fill device.
- All contact parts made in stainless steel.
- Machine designed for the handling of aluminium, plastic & lami tubes.
- Easy, quick change over from metal tube closing unit to plastic/lami tube sealing.
- Aluminium tube closing unit with normal as standard.
- Hot air sealing technology for sealing plastic/lami tube.
- Electrical control panel with PLC and colour touch screen HMI.

- Multicolour filling.
- Design sealing pattern.
- Auto carton integration.
- Complete flame proof version available.
- Camera inspection to detect foreign object in the tube.
- CE & UL certification available.
- Can be upgraded to ATEX for flammable products.
- 50 lts. jacketed hopper with hot water recirculation system.
- Double & Saddle fold for aluminium tube.
- Ultrasonic sealing can be provided for better seal integrity for difficult products.
- Can be upgraded to 21CFRpart11.



WRAPTECH PROJECTS

Over the years Wraptech has evolved from just a packaging machine supplier to an integrated end to end solution provider. From setting up complete packaging lines that we integrate with pre & post allied equipment. Our expertise also enables us to extend to our clients solutions for customized traffic management solution for easy integration with secondary & tertiary packaging.



Date:



CONTACT INFORMATION

Company Name**:

Contact Name**:

Company Address Street 1:

Street 2:

City:

State:

Country**:

Contact Details Landline 1:

Landline 2:

Fax

Other

Mobile**:

Email**:

PROJECT INFORMATION

Product**:

Product Weight (gm)**:

Product Bulk Density (cc/gm):

Pack Style**:


Bag Dimensions:

** Mandatory. We cannot quote without these details.









ANGOLA • AUSTRALIA • BANGLADESH • CAMEROON • CANADA • EGYPT • ETHIOPIA • GHANA • IRAQ • JORDAN • KENYA • KUWAIT • MADAGASCAR • MALAWI • MAURITIUS • MOROCCO • MOZAMBIQUE • NEPAL • NEW ZEALAND • NIGERIA • PHILIPPINES • SAUDI ARABIA • SINGAPORE • SOUTH AFRICA • SRI LANKA • TANZANIA • U.A.E. • U.K. • U.S.A. • UGANDA • YEMEN • ZAMBIA



Wraptech Machines Pvt. Ltd., Plot No. D-273 & D-274, T.T.C. Industrial Area,
M.I.D.C. Turbhe, Dist. Thane, Navi Mumbai - 400705, Maharashtra, India
Tel.: +91 22 6152 4400/01/02/03 | www.wrapmachines.com

Agent Contact